

CBG-052322

 Sample ID: SA-220523-9408
 Batch: CBG-052322
 Type: In-Process Materials
 Matrix: Concentrate - Isolate
 Unit Mass (g):

 Received: 05/23/2023
 Completed: 06/06/2023

Summary

Test	Status
Cannabinoids	Tested
Heavy Metals	Tested
Pesticides	Tested
Residual Solvents	Tested

ND	99.2 %	99.2 %	Not Tested	Not Tested	Yes
Total Δ9-THC	CBG	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	99.2	992
CBGA	0.0049	0.0147	ND	ND
CBL	0.012	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	ND	ND
CBNA	0.006	0.0181	ND	ND
CBT	0.0018	0.0054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCA	0.0084	0.0251	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
Δ9-cis-THC	0.001	0.003	ND	ND
Total Δ9-THC			ND	ND
Total CBD			ND	ND
Total			99.2	992

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

 Generated By: Alex Morris
 Quality Assurance Manager
 Date: 06/06/2023

 Tested By: Scott Caudill
 Senior Scientist
 Date: 05/27/2023

 ISO/IEC 17025:2017 Accredited
 Accreditation #108851

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.